

# Gyro 360° gimbal low glare LED Downlight

lediant®

*Twist & Lock bezel  
changeable*



TRIAC  
DIMMABLE



IP65  
FRONT



360°



25°



IC  
RATED



5  
YEARS




The light from GYRO luminaires reveal natural colours that are not over or under saturated, improving your sense of depth, contouring and 3-dimensionality.

GYRO luminaires have very even light distribution across all beam angles, and restrained, soft, feathered edges with minimal light spill.

The GYRO range comprises 4 luminaire designs each with options of 18°, 30°, 48°, and 90° beam angles. These are all available in 2700K, 3000K and 4000K; also available in sunset dimming /Dim to Warm (3000K-2000K).

Model	Beam angle	CCT	CRI	Trim Colour
Milky diffuser	18°	2700K	RA80	MW=Matt white
Clear glass	30°	3000K	RA90	MB=Matt black
Frosted Glass	48°	4000K	RA95	
	90°	6000K	RA97	
		Dim-Warm		

## Diffuser options:



**Milky diffuser**

90°

Wide beam angle



**ULG clear glass**

18°/30°/48°


Task I General lighting



**Frosted Glass**

30°/48°

Anti-glare lighting



White



Chrome



Black

Item	Gimbal Downlight	PF	≥0.9
Part No.	5RS160-1	IP	IP65 Front
Power	10W	Cut Out	Φ 80-85mm
CCT	2700K/3000K/4000K	Driver	Isolated
Lumen	750 lm	Dimmable	Trailing & Leading Edge
Input	AC 220-240V~50Hz	Size	Drawing Supplied
CRI	95	LED	SMD
Beam Angle	18°/30°/48°	Switch Cycles	100,000
Lifespan	50,000hrs	Insulation Coverable	YES
House Material	Aluminum & Iron	Standard	CE ROHS